

Notice of Intent for the Offshore Subcategory of the On and Sub-Attack. Category for the Western Portion of the Outer Continental Shelf of the Gulf of Mexico Notice of Intent for the Offshore Subcategory of the Oil and Gas Extraction Point Source (GMG290000)

U.S. EPA Region 6 Offshore General Permits Mail Code 6EN-WC1445 Ross Ave., Suite 1200 Dallas, TX 75202-2733

Submission of this completed Notice of Intent (NOI) constitutes notice that the entity in Section B intends to be authorized to discharge pollutants to Federal waters of the Gulf of Mexico seaward of the outer boundary of the territorial seas offshore of Louisiana and Texas (77 Fed. Reg. No. 196, p. 61605, October 10, 2012,

http://www.epa.gov/region6/water/npdes/genpermit/gmg290000final/gmg290000finalpermit2012.pdf) www.epa.gov/region6/water/npdes/genpermit/. Submission of the NOI also constitutes notice that the party identified in Section B of this form has read, understands, and meets the eligibility conditions in the Regulated Entities section of the Final General Permit for the above mentioned permit and agrees to comply with all applicable terms and conditions of this General Permit. In order to be granted coverage, all information required on this form must be completed unless designated as optional. Please read and make sure you comply with all permit requirements.

	Enter NPDES ID *	Organization Formal Name *								
GM G29	MG29 0329 Energy XXI GOM, LLC.									
		Organization Noted by Preparer								
		Energy XXI								
Reason f	or Submission "									
○ Chan	nge operator legal name and address	Ac	dd structures		Change structure information					
O Delet	te structures	O Ac	dd limit set(s) for an existing permitted feature		O Delete limit set(s) from an existing permitted feature					
Add Structure	95									
Non-Sen	sitive Areas									
Lease B	lock 1									
Lease Ar	ea Block Name "	Lease Area Block Number *	Lease Area Block BOEM Number *							
Eugene	sisiand	27	G23853	X						
6										
Structu	ire i									

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	Platform A	+ 29.316230 -	91.7830298	
Water Depth (in feet)	Built after 07/17/2006?*			
		ucture (CW) Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenauce 8MP (NW)
	_	[7] San tary & Domestic Ww. Decs	<u> </u>	
		Col Dramage (WW)	Stock Base Fluid Drill (SB)	X Meil Unids (ML)
Add Structure				
Lease Block 2				
Lease Area Block Name *	Lease Area Block Number	Lease Area Block BOEM Number*		
Eugene Island	32	G00196	X	
Structure 1				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	Platform A-QRTS	+ 29.31081 -	91.536375	X
Water Depth (in feet)	Built after 07/17/2006?*			
10	No			
X Own Down Dis	Cooling Water Intake Stri		Hydrate Control Fluid (HF)	∑ Maintenance BMP (WM)
X M or Discharge (M.)	Produced Water (PR)	San Fary & Domestic WW, Deck Drainage WW	Stock Base Fluid Drill (SB)	Well Fluide (WF)
Add Structure				
Structure 2				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	Platform A-PRD	+ 29.31081 -	91.536062] ×
Water Depth (in feet)			ntake Velocity (in feet per second) *	Percentage of Intake Water for Cooling *
10	Yes	0		0
	Cooling Water Intake Stri		Hydrate Control Fluid (HF)	X Maintenance BMP(WM)
XI was proported at	Produced Water (PR)	(X) Sandary z Domestic WW. Deck Dracoge (WW)	Stock Base Fluid Drill (SB)	X WARE FIGURE (WF)
Add Structure				
Structure 3				

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	_
Platform	Platform A-TANK	+ 29.31081	- 91.536062	_ X
Water Depth (in feet)	Built after 07/17/2006?* No			
🗵 CHEN TRAINS M	S. Clasharas (Clasharam Cooling Water Intake Stru	cture (CW) Drilling Fluids and Cuttings	(DF) Hydrate Control Fluid (HF)	Maintenatice BMP (WM)
	Produced Water (PR)	Sanitary & Domestic WW. D Drainage (WW)	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Add Structur	е			
Structure 4				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	Platform F-CMP	+ 29.306604	91.534356	X
Water Depth (in feet) 12	Built after 07/17/2006?* No			
X Chen Trainds!	S. Cischarge (Ci) Cooling Water Intake Stru	cture (CW) Drilling Fluids and Cuttings	(DF) Hydrate Control Fluid (HF)	Maintenance SWP (VVV)
X Mac Dachards (A	Produced Water (PR)	Sanitary & Domestic WW. 0 Drainage (WW)	Stock Base Fluid Drill (SB)	Well Fluide (∀F)
Add Structur	e			
Structure 5				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	Platform F-PRD	+ 29.307076	91.5346360	_ X
Water Depth (in feet)		Capacity (million gallons per day) * De	sign Intake Velocity (in feet per second) *	Percentage of Intake Water for Cooling *
12	Yes			0
🗵 Chan Teacadh	Cooling Water Intake Stru	cture (CW) Drilling Fluids and Cuttings	(DF) Hydrate Control Fluid (HF)	X Maintenance SMP (WM)
X Mac Decrease (4	Produced Water (PR)	Sanitary & Deviated in Asset Distriction	Stock Base Fluid Drill (SB)	X Well Fluids (WF)
Add Structur	e			
Structure 6				

Type *	Description	Latitude (in decimal	degrees)* Lo	ongitude (in decimal degrees) *	
Platform	Platform F-TANK	+ 29.360660		91.53467	X
Water Depth (in feet)	Built after 07/17/2006?* No				
	Cooling Water Intake	Structure (CW) Drilling Fluid	sand Cuttings (DF)	Hydrate Control Fluid (HF)	∑ Maintenance BMP (WW)
(Z) Maria (B)	Produced Water (PR)		and the state of t	Stock Base Fluid Drill (SB)	◯ Well Flords (WF)
Add Structure	_	CO Drainage (W			
Lease Block 3					
Lease Area Block Name *	Lease Area Block Numb		k BOEM Number*		
Eugene Island	39	G15239			
Structure 1					
Type *	Description	Latitude (in decimal	degrees) * Lo	ongitude (in decimal degrees) *	
Platform	Platform A	+ 29.260346	- g	91.4603835	
Water Depth (in feet)	Built after 07/17/2006?*				
12	No				
	Cooling Water Intake	Structure (CW) Drilling Fluid	sand Cuttings(DF)	Hydrate Control Fluid (HF)	Maintenance BMF (WM)
X ******	Produced Water (PR)	\boxtimes		Stock Base Fluid Drill (SB)	
Add Structure		16±1			
Aud Structure					
Lease Block 4					
Lease Area Block Name *	Lease Area Block Numb	er * Lease Area Bloc	k BOEM Number*		
Eugene Island	247	G21111		X	
Structure 1					
Gradiare i					

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	Platform J	+	28.529356	-	91.7645209	
Water Depth (in feet)	Built after 07/17/2006?* No					
	Cooling Wate	er Intake Structure (CW)	Drilling Fluids and Cuttings (E)F)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
Z	Produced Wa	iter (PR)			Stock Base Fluid Drill (SB)	₩ei Fulds/Y/Fi
Add Structur	В					
Lease Block 5						
Lease Area Block Name		ck Number*	Lease Area Block BOEM Number	•		
Eugene Island	255		G01958		X	
Structure 1						
Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	Platform H		28.504623	-	91.423258	
Water Depth (in feet)	Built after 07/17/2006?*					
145	No					
X (2000) 1100000	Cooling Wate	er Intake Structure (CW)	Drilling Fluidsand Cuttings (D)F)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
X	Produced Wa	iter (PR)	X Santag & Domesic WAR Sec		Stock Base Fluid Drill (SB)	
		()			□	
Add Structure						
Lease Block 6						
Lease Area Block Name	* Lease Area Blo	ck Number*	Lease Area Block BOEM Number	×		
Eugene Island	257		G02103		X	
Structure 1						

Type *	Description	Latitude (in decimal degrees	Longitude (in decimal degrees) *	
Platform	Platform C	+ 28.474792	- 91.364842	X
Water Depth (in feet)	Built after 07/17/2006?* Design I	ntake Capacity (million gallons per day) *	Design Intake Velocity (in feet per second) *	Percentage of Intake Water for Cooling *
7		e Structure (CW) Drilling Fluids and Cu	J L-	Maintenance BMP (WW)
				
	Produced Water (PR)	Stock Base Fluid Drill (SB)	▼ Well Ruids (WF)
Add Structure				
Structure 2				-
Type *	Description	Latitude (in decimal degrees	s) * Longitude (in decimal degrees) *	
Platform	Platform D	+ 28.483668	- 91.349733	X
Water Depth (in feet)	Built after 07/17/2006?*			
155	No			
	Cooling Water Intak	e Structure (CW) Drilling Fluids and Cu	uttings (DF) Hydrate Control Fluid (HF)	Maintenance BMP (WM)
XI Mark to the second of	Produced Water (PR) Similary & Democratic University	Stock Base Fluid Drill (SB)	▼ Well Fluide(WF)
Add Structure	_		_	
Lease Block 7				
Lease Area Block Name *	Lease Area Block Num	ber * Lease Area Block BOEM	Number*	
Eugene Island	258	G01959	X	
Structure 1				
Type *	Description	Latitude (in decimal degrees	s) * Longitude (in decimal degrees) *	
Platform	Platform A	+ 28.464936	- 91.390146	X
Water Depth (in feet)	Built after 07/17/2006?*			
158	No			
	Cooling Water Intak	e Structure (CW) Drilling Fluids and Cu	uttings (DF) Hydrate Control Fluid (HF)	Maintenance BMP (WM)
X Marine and Marine	Produced Water (PR) Sentence Comestic Ordinage (AVV)	Stock Base Fluid Drill (SB)	
Add Structure				
				
Structure 2				

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	Platform B	+ 28.464936	-	91.390457] X
Water Depth (in feet	t) Built after 07/17/2006?*				
		octure (CW) Drilling Fluidsand Cutting	js(DF)	Hydrate Control Fluid (HF)	Maintenauce SMP (WW)
	→ Produced Water (PR)			Stock Base Fluid Drill (SB)	₩eii Pluds (AVF)
Add Structu		CCC Drainage (WW)			
Structure 3					
Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	Platform I	+ 28.47741	-	91.415181	X
Water Depth (in feet	t) Built after 07/17/2006?*	_/			
150	No				
X	Cooling Water Intake Stru	octure (CW) Drilling Fluids and Cutting	js (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
	Produced Water (PR)			Stock Base Fluid Drill (SB)	── Well Fluide (WF)
Add Structu		Cathage (WW)		<u> </u>	
> Add Stracti	116				
Structure 4					
Type *	Description	Latitude (in decimal degrees) *	—	Longitude (in decimal degrees) *	1
Platform	Platform J	+ 28.486372		91.3989431	X
Water Depth (in feet	Built after 07/17/2006?* No				
152			(DE)		The second secon
X		- Innoversal		Hydrate Control Fluid (HF)	X Maintenance BMP (VVM)
	Produced Water (PR)	San tary & Denie rate Www. Drainage (WW)		Stock Base Fluid Drill (SB)	X Well Fluide (WF)
Add Structu	ure				
ease Block 8					
Lease Area Block Nam	ne * Lease Area Block Number *	Lease Area Block BOEM Num I	ber*		
Eugene Island	259	G00985] X	
Structure 1					
					J

Type *	Description			Latitude (in decimal degre	es) *	Longitude (in decimal degrees) *	
Platform	Platform A			28.453565		91.456432	<u> </u>
Water Depth (in feet	<u> </u>	07/17/2006?*					
170	No						
		Cooling Water Intake Stru	ucture (CV			Hydrate Control Fluid (HF)	X and acres as a second
Zasasas		Produced Water (PR)				Stock Base Fluid Drill (SB)	X ************************************
Add Structu	ıre						
S							
Structure 2	December				>	1	
Type * Platform	Description Platform B		+	Latitude (in decimal degree 28.459091	es) -	Longitude (in decimal degrees) * 91.464851	X
Water Depth (in feet				1		1	
170	No No						
X Cres Transits		Cooling Water Intake Stru	ucture (CV	V) Drilling Fluidsand	Cuttings (DF)	Hydrate Control Fluid (HF)	[X] 4 section in 3.4 k 4.4 s.
× 2000		Produced Water (PR)				Stock Base Fluid Drill (SB)	 ∑l Well Fluide WF)
						☐ 910 311 3430 11414 31111 (0D)	<u></u>
Add Structu	ne						
Structure 3							
Type *	Description			Latitude (in decimal degre	es) *	Longitude (in decimal degrees) *	
Platform	Platform C] [+	28.477573		91.440893	<u> </u>
Water Depth (in feet		D7/17/2006?*					
160	No						
X		Cooling Water Intake Str	ucture (CV			Hydrate Control Fluid (HF)	\times
X Mrc Oscharga :		Produced Water (PR)		X Section and Advanced		Stock Base Fluid Drill (SB)	∑ Well Fluide (AF)
Add Structu	ıre						
Add Lease Blo	CK						
ensitive Areas							
Add Lease Blo	ck						

Certifier 8-Mail *	Form Action *	
Redacted	Approve	

Digital Signature Acknowledgement

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those person directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.